



Seismicity of the Earth 1900–2010

Caribbean Plate and Vicinity

Compiled by Harley Benz, Arthur C. Tarr, Gavin Hayes, Antonio Villaseñor,¹ Kevin P. Furlong,² Richard Dart, and Susan Rhea



¹Institute of Earth Sciences, CSIC, Barcelona, Spain
²Department of Geosciences, Pennsylvania State University, State College, PA 16802 USA



TECTONIC SUMMARY

Extensive diversity of tectonic regimes characterizes the perimeter of the Caribbean plate, involving no fewer than four major adjacent plates (North America, South America, Nazca, and Cocos). Inclined zones of deep earthquakes (Wadati-Benioff zones), deep ocean trenches, and arcs of volcanoes clearly indicate subduction of oceanic lithosphere along the Central American and Atlantic Ocean margins of the Caribbean plate, while shallow seismicity and focal mechanisms of major shocks in Guatemala, northern Venezuela, and the Cayman Ridge and Cayman Trench indicate transform fault and pull-apart basin tectonics.

The depth profile panels on this map portray earthquakes that extend from the Middle America Trench axis in the west to depths as great as 300 km beneath Guatemala, and from the Lesser Antilles Trench axis in the east to depths of approximately 200 km beneath Guadeloupe and the northeast Caribbean. In contrast, seismicity along the segments of the Caribbean plate margins from Guatemala to Hispaniola and from Trinidad to western Venezuela is indicative of transform fault tectonics.

Along the northern margin of the Caribbean plate, the North America moves west, relative to the Caribbean plate, at approximately 20 mm/yr, resulting in major transcurent faults and troughs. Farther east, the North America plate subducts beneath the Caribbean plate resulting in surface expression of the deep Puerto Rico Trench and a zone of intermediate focus earthquakes in the subducted slab.

The plate boundary curves around Puerto Rico and the northern Lesser Antilles where the plate motion vector of the Caribbean plate relative to the North and South America plates is less oblique, resulting in active island-arc tectonics. The North and South America plates subduct beneath the Caribbean plate along the Lesser Antilles Trench at rates of about 20 mm/yr; consequently, there are both intermediate focus earthquakes within the subducted South America plate and a chain of active volcanoes along the island arc.

The southern Caribbean plate boundary along with the South America plate strikes east-west across Trinidad and western Venezuela and is characterized by major strike-slip faults and shallow seismicity, resulting from relative plate motion of about 20 mm/yr. Further to the west, a broad zone of convergent deformation trends southwest across western Venezuela and central Colombia. Plate boundaries are not well defined across northern South America, but there is a transition from Caribbean/South America convergence in the east to Nazca/South America convergence in the west, described in more detail below. The transition zone is characterized by high seismic hazard.

The Nazca-Caribbean plate boundary offshore of Colombia is characterized by convergence (Nazca plate subducting under South America plate) at about 65 mm/yr. The 6 January 1906 Mw = 8.5 megathrust subduction earthquake occurred on a shallow-dipping interface of this plate boundary segment. The 1906 earthquake occurred in the Colombia-Ecuador region, with a seismic moment (Mo, equivalent to radiated energy) of 6x10 Exp 28 dyne-cm (Okal, 1992), and a moment magnitude (Mw) of 8.5 (Tarr and others, 2010). The nucleation point of this earthquake is indicated on the map (rupture area is from Kanamori and McNally, 1982).

Along the western coast of Central America, the Cocos plate subducts beneath the Caribbean plate at rates of 72–81 mm/yr, resulting in a relatively high seismic hazard and a chain of numerous active volcanoes; here intermediate-focus earthquakes occur within the subducted Cocos plate to depths of nearly 300 km.

DATA SOURCES

The earthquakes portrayed on the main map and the depth profiles are taken from two sources: (a) the Centennial earthquake catalog (Engdahl and Villaseñor, 2002) and annual supplements for the interval 1900–2007, where the magnitude floor is 5.5 globally, and (b) a catalog of earthquakes having high-quality depth determinations for the period 1964–2002 and a magnitude range of 5.0 ≤ Mw ≤ 5.4 (Engdahl, personal commun., 2009.)

The nucleation points of great earthquakes (M ≥ 8.3) are designated with a label showing the year of occurrence. Their rupture areas are shown as pale reddish polygons. Major earthquakes (7.5 ≤ Mw ≤ 8.2) are labeled with the year of occurrence, while earthquakes (8.0 ≤ Mw ≤ 8.2) are labeled with the year of occurrence and also denoted by a white outline.

The Seismic Hazard and Relative Plate Motion map displays the generalized seismic hazard of the region (Giardini et al., 1999) and representative relative plate motion vectors of the Caribbean plate relative to the adjacent North and South America plates using the NUVEL-1A model (DeMets and others, 1994, 2000) and updates (Dixon and others, 1998; Weber and others, 2001).

Pre-instrumental seismicity for the Caribbean basin was obtained from the NOAA National Geophysical Data Center (2010) database of significant earthquakes; locations are approximate, based on macro-seismic reports and field investigations. We selected earthquakes with associated reports of moderate to major damage, 10 or more deaths, an estimated magnitude of 7.5 or greater (if known), Modified Mercalli Intensities X, or tsunami generation.

Base map data sources include GEBCO 2008, Volcanoes of the World dataset (Siebert and Simkin, 2002), plate boundaries (Bird, 2003), Digital Chart of the World, and Environmental Sciences Research Institute (ESRI). Slab contours are from Hayes and Wald (2010).

REFERENCES

- Bird, Peter, 2003, An updated digital model of plate boundaries: *Geochemistry Geophysics Geosystems*, v. 4, no. 3, 52 p.
- DeMets, C., Gordon, R.G., Argus, D.F., and Stein, S., 1994, Effects of recent revisions to the geomagnetic time scale on estimates of current plate motions: *Geophysical Research Letters*, v. 21, p. 2191–2194.
- DeMets, C., Jansma, P.E., Mattioli, G.S., Dixon, T.H., Farina, F., Bilham, R., Calais, E., Mann, P., 2000, GPS geodetic constraints on Caribbean–North America plate motion: *Geophysical Research Letters*, v. 27, p. 437–440.
- Dixon, T.H., Farina, F., DeMets, C., Jansma, P., Mann, P., and Calais, E., 1998, Relative motion between the Caribbean and North American plates and related boundary zone deformation from a decade of GPS observations: *Journal of Geophysical Research*, 103(B7), p. 15157–15182.
- Engdahl, E.R., and Villaseñor, Antonio, 2002, Global seismicity 1900–1999, in Lee, W.H.K., Jennings, P., Kisslinger, C., and Kanamori, H., eds., *International Handbook of Earthquake and Engineering Seismology*, v. 81(A), chap. 41, p. 1–26.
- GEBCO, 2008, The GEBCO, 08. Grid, ver. 20091120, <http://www.gebco.net/>, last accessed January 8, 2010.
- Giardini, D., Grünthal, G., Shedlock, K., Zhang, P., and Global Seismic Hazards Program, 1999, *Global Seismic Hazards Map*, <http://seismo.ethz.ch/GSHAP/>, last accessed January 9, 2007.
- Kanamori, Hiroo, and McNally, K.C., 1982, Variable rupture mode of the subduction zone along the Ecuador-Colombia coast: *Bulletin of the Seismological Society of America*, v. 72, no. 4, p. 1241–1253.
- NOAA National Geophysical Data Center, 2010, <http://www.ngdc.noaa.gov/hazards/>, last accessed March 31, 2010.
- Okal, E.A., 1992, Use of the mantle magnitude Mm for the reassessment of the moment of historical earthquakes: *Pure and Applied Geophysics*, v. 139, no. 1, p. 17–57.
- Siebert, L., and Simkin, T., 2002, *Volcanoes of the world: An illustrated catalog of Holocene volcanoes and their eruptions*: Smithsonian Institution, *Global Volcanism Program Digital Information series, GVP-3*, <http://www.volcano.si.edu/world/>, last accessed January 9, 2007.
- Tarr, A.C., Villaseñor, Antonio, Benz, H.M., and Furlong, K.P., 2010, Seismicity of the earth 1900–2007: U.S. Geological Survey Scientific Investigations Map 3064, scale 1:25,000,000.
- Weber, J.C., Dixon, T.H., DeMets, C., Ambeh, W.B., Jansma, P., Mattioli, G., Saleh, J., Sella, G., Bilham, R., and Pérez, O., 2001, GPS estimate of relative motion between the Caribbean and South American plates, and geologic implications for Trinidad and Venezuela: *Geology*, v. 29, no. 1, p. 75–78.

SEISMIC HAZARD AND RELATIVE PLATE MOTION

